



Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

Manufacturer	Raccorderie Metalliche SPA
Address	Strada Sabbionetana 59, Campitello Di Marcaria M, 46010, Italy
Type	Profile Ring Tube Fittings
Description	Stainless steel (quality of material, grade: AISI 316 L (X2CrNiMo17-12-2) according to UNI - EN 10088) sanitary discharge pipes and form pieces with slip- in socket joints, seals from EPDM.
Trade Name	RM DRAIN
Application	For use in non-pressurised (up to 0,5 bar) and vacuum sanitary discharge systems everywhere above the freeboard deck and below the freeboard deck in enclosed spaces where the drain pipes are not leading overboard (including machinery rooms). Penetrations of watertight bulkheads or fire class divisions may be allowed if a penetration of approved type is used. For vent pipes for sanitary discharge systems and for central vacuum cleaning system - CVC, lines in tanks not forming part of the ship structure, food waste systems.
Specified Standard	EN 1124 Pipes and fittings of longitudinally welded steel pipes with spigot and socket for waste water systems.
Ratings	Sizes DN [mm]: 40 to 150 Temperature Range [°C]: -25 to +55 Design Pressure: up to 0,5 bar

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Mattia Macri

Engineering Piping- Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Type Approval Certificate

Other Conditions Penetrations are to be separately approved by the Administration for the type of pipe and their operating pressures, on a case by case basis.

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid Certificate.

The Design Appraisal Document LR2466226DA Issue 00 and its supplementary Type Approval Terms and Conditions form part of this Certificate.

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

