

Aespres Press fittings

Holder/Issued to

Raccorderie Metalliche S.p.A.

Strada Sabbionetana 59,I- 46010 Campitello di Marcaria (MN), Italy

Product description

Aespres press fittings are fittings made of copper (CW024A) and gunmetal (CC499K) for the connection of pipes in dimensions 15, 18, 22, 28, 35, 42 and 54 mm. The system is intended for installations in drinking water and heating systems. The fittings are available in various designs and are equipped with EPDM O-rings with leakage indication in the unpressed condition. When pressed, a fast and permanent connection is achieved.

Intended use

The fittings are intended for the connection of half-hard and hard copper tubes for cold and hot drinking water as well as heating and cooling systems, where the water quality is comparable to that of water supplied from a municipal installation. The maximum allowable operating pressure is 1.0 MPa.

For the connection of fittings and tubes, a pressing tool approved by the holder of the type approval shall be used.

Trade name

Aespres, See table 1

Approval

The product complies with the requirements of Chapter 8, Section 4, item 3 of the Planning and Building Act (2010:900), in the respects and under the conditions specified in this type approval.

The product meets the requirements of Chapter 4, Sections 12 of the Planning and Building Ordinance (2024:134) and has been assessed to not release harmful concentrations of hazardous substances into drinking water, not promote microbial growth, and not negatively affect the color, odor, or taste of the water.

The approval covers the parts of the Swedish National Board of Housing, Building and Planning's (Boverket's) regulations and general recommendations specified below:

Boverket's regulations with regard to hygiene, health and the environment, water management and waste management (BFS 2024:8):

Water- and sewage installations

BFS 2024:8, Ch. 8, Sec. 1, 3, 4 and 6

Boverket's Building Regulations (BBR) (BFS 2011:6 as amended up to and including BFS 2024:5) ¹:

Installation of Tapwater
Design

BBR 6:62
BBR 6:625

¹ May be applied to the extent stated in the transitional provisions of Boverket's regulations BFS 2024:14.

Type Approval SC0265-16 | issue 3 | 2026-09-10


RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1368538

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE.



Associated documents

Technical handbook, dated August 2026

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. CR 074 dated 2026-04-20, Inspection body: TTR Institute srl

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing place

Production control includes the following place:

Raccorderie Metalliche S.p.A. "Pilastro Plant", Via Montanara Sud, 126- Pilastro di Marcara (MN), 46010 Italy

Marking

The product shall be marked at the factory. The marking consists of text on each delivered product and its packaging and includes:

Fittings

Trade name	Aespres
Dimension	<i>Dimension</i>
Production year and batch number	<i>Year/number</i>

Packaging

Holder	Raccorderie Metalliche
Product type designation	Aespres
Type approval number	SC0265-16
Boverket's registered trade mark	
RISE Accreditation number	1002
Inspection body	TTR Institute srl

Basis for approval

Report no. 120003536 och 220005268-1 from MPA NRW

Report no. 1104619_002, 1110075-001, 1110081, 1118125, 1118410-001 och 1118411-001 from TTR Institute srl

Comments

The product been assessed as meeting the requirements of RISE Certification Rules CR 064, dated 2025-09-06.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2021-09-17.

Validity

Valid up to and including 2031-06-30.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011 or 2024/3110.

A blue ink signature of Stefan Coric, written in a cursive style.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.

Table 1. Aespres press fitting

Article number	Product name
681012450	Aespres elbow 45° FF Ø 12
681015450	Aespres elbow 45° FF Ø 15
681018450	Aespres elbow 45° FF Ø 18
681022450	Aespres elbow 45° FF Ø 22
681028450	Aespres elbow 45° FF Ø 28
681035450	Aespres elbow 45° FF Ø 35
681042450	Aespres elbow 45° FF Ø 42
681054450	Aespres elbow 45° FF Ø 54
681012451	Aespres elbow 45° MF Ø 12
681015451	Aespres elbow 45° MF Ø 15
681018451	Aespres elbow 45° MF Ø 18
681022451	Aespres elbow 45° MF Ø 22
681028451	Aespres elbow 45° MF Ø 28
681035451	Aespres elbow 45° MF Ø 35
681042451	Aespres elbow 45° MF Ø 42
681054451	Aespres elbow 45° MF Ø 54
681012900	Aespres elbow 90° FF Ø 12
681015900	Aespres elbow 90° FF Ø 15
681018900	Aespres elbow 90° FF Ø 18
681022900	Aespres elbow 90° FF Ø 22
681028900	Aespres elbow 90° FF Ø 28
681035900	Aespres elbow 90° FF Ø 35
681042900	Aespres elbow 90° FF Ø 42
681054900	Aespres elbow 90° FF Ø 54
681012901	Aespres elbow 90° MF Ø 12
681015901	Aespres elbow 90° MF Ø 15
681018901	Aespres elbow 90° MF Ø 18
681022901	Aespres elbow 90° MF Ø 22
681028901	Aespres elbow 90° MF Ø 28
681035901	Aespres elbow 90° MF Ø 35
681042901	Aespres elbow 90° MF Ø 42
681054901	Aespres elbow 90° MF Ø 54
697308012	Aespres ang. adap. M 3/8"x12
697102012	Aespres ang. adap. M 1/2"x12
697308015	Aespres ang. adap. M 3/8"x15
697102015	Aespres ang. adap. M 1/2"x15
697102018	Aespres ang. adap. M 1/2"x18
697304018	Aespres ang. adap. M 3/4"x18
697102022	Aespres ang. adap. M 1/2"x22
697304022	Aespres ang. adap. M 3/4"x22
697102028	Aespres ang. adap. M 1/2"x28

Type Approval and decision on production control

Aespres ang. adap. M 1"x28

Table 1, continued:

Article number	Product name
697114035	Aespres ang. adap. M 1"1/4x35
697112042	Aespres ang. adap. M 1"1/2x42
697200054	Aespres ang. adap. M 2"x54
698308012	Aespres ang. adap. F 3/8"x12
698102012	Aespres ang. adap. F 1/2"x12
698308015	Aespres ang. adap. F 3/8"x15
698102015	Aespres ang. adap. F 1/2"x15
698304015	Aespres ang. adap. F 3/4"x15
698102018	Aespres ang. adap. F 1/2"x18
698304018	Aespres ang. adap. F 3/4"x18
698102022	Aespres ang. adap. F 1/2"x22
698304022	Aespres ang. adap. F 3/4"x22
698100022	Aespres ang. adap. F 1"x22
698102028	Aespres ang. adap. F 1/2"x28
698100028	Aespres ang. adap. F 1"x28
698114035	Aespres ang. adap. F 1"1/4x35
698112042	Aespres ang. adap. F 1"1/2x42
698200054	Aespres ang. adap. F 2"x54
682012000	Aespres equal tee Ø 12
682015000	Aespres equal tee Ø 15
682018000	Aespres equal tee Ø 18
682022000	Aespres equal tee Ø 22
682028000	Aespres equal tee Ø 28
682035000	Aespres equal tee Ø 35
682042000	Aespres equal tee Ø 42
682054000	Aespres equal tee Ø 54
692015012	Aespres reducing tee 15x12x15
692018012	Aespres reducing tee 18x12x18
692018015	Aespres reducing tee 18x15x18
692022012	Aespres reducing tee 22x12x22
692022015	Aespres reducing tee 22x15x22
692022018	Aespres reducing tee 22x18x22
692028015	Aespres reducing tee 28x15x28
692028018	Aespres reducing tee 28x18x28
692028022	Aespres reducing tee 28x22x28
692035015	Aespres reducing tee 35x15x35
692035018	Aespres reducing tee 35x18x35
692035022	Aespres reducing tee 35x22x35
692035028	Aespres reducing tee 35x28x35
692042015	Aespres reducing tee 42x15x42
692042018	Aespres reducing tee 42x18x42
692042022	Aespres reducing tee 42x22x42
692042028	Aespres reducing tee 42x28x42

Article number

692054022

692054028

692054035

692054042

689102012

689308015

689102015

689102018

689102022

689304022

689102028

689304028

689100028

689102035

689304035

689100035

689102042

689304042

689102054

689304054

683012003

683015003

683018003

683022003

683028003

683035003

683042003

683054003

683012000

683015000

683018000

683022000

683028000

683035000

683042000

683054000

683012001

683015001

683018001

683022001

683028001

683035001

683042001

Aespres reducing tee 42x35x42

Product name

Aespres reducing tee 54x22x54

Aespres reducing tee 54x28x54

Aespres reducing tee 54x35x54

Aespres reducing tee 54x42x54

Aespres tee F 1/2"x12

Aespres tee F 3/8"x15

Aespres tee F 1/2"x15

Aespres tee F 1/2"x18

Aespres tee F 1/2"x22

Aespres tee F 3/4"x22

Aespres tee F 1/2"x28

Aespres tee F 3/4"x28

Aespres tee F 1"x28

Aespres tee F 1/2"x35

Aespres tee F 3/4"x35

Aespres tee F 1"x35

Aespres tee F 1/2"x42

Aespres tee F 3/4"x42

Aespres tee F 1/2"x54

Aespres tee F 3/4"x54

Aespres stop end Ø 12

Aespres stop end Ø 15

Aespres stop end Ø 18

Aespres stop end Ø 22

Aespres stop end Ø 28

Aespres stop end Ø 35

Aespres stop end Ø 42

Aespres stop end Ø 54

Aespres coupling Ø 12

Aespres coupling Ø 15

Aespres coupling Ø 18

Aespres coupling Ø 22

Aespres coupling Ø 28

Aespres coupling Ø 35

Aespres coupling Ø 42

Aespres coupling Ø 54

Aespres slip coupling Ø 12

Aespres slip coupling Ø 15

Aespres slip coupling Ø 18

Aespres slip coupling Ø 22

Aespres slip coupling Ø 28

Aespres slip coupling Ø 35

Aespres slip coupling Ø 42

Type Approval and decision on production control

Aespres slip coupling Ø 54

Article number
Product name

687308012	Aespres adapter male 3/8"x12
687102012	Aespres adapter male 1/2"x12
687308015	Aespres adapter male 3/8"x15
687102015	Aespres adapter male 1/2"x15
687304015	Aespres adapter male 3/4"x15
687102018	Aespres adapter male 1/2"x18
687304018	Aespres adapter male 3/4"x18
687102022	Aespres adapter male 1/2"x22
687304022	Aespres adapter male 3/4"x22
687100022	Aespres adapter male 1"x22
687304028	Aespres adapter male 3/4"x28
687100028	Aespres adapter male 1"x28
687114028	Aespres adapter male 1"1/4x28
687100035	Aespres adapter male 1"x35
687114035	Aespres adapter male 1"1/4x35
687112035	Aespres adapter male 1"1/2x35
687114042	Aespres adapter male 1"1/4x42
687112042	Aespres adapter male 1"1/2x42
687112054	Aespres adapter male 1"1/2x54
687200054	Aespres adapter male 2"x54
690308012	Aespres adapter female 3/8"x12
690102012	Aespres adapter female 1/2"x12
690308015	Aespres adapter female 3/8"x15
690102015	Aespres adapter female 1/2"x15
690304015	Aespres adapter female 3/4"x15
690102018	Aespres adapter female 1/2"x18
690304018	Aespres adapter female 3/4"x18
690102022	Aespres adapter female 1/2"x22
690304022	Aespres adapter female 3/4"x22
690100022	Aespres adapter female 1"x22
690102028	Aespres adapter female 1/2"x28
690304028	Aespres adapter female 3/4"x28
690100028	Aespres adapter female 1"x28
690114028	Aespres adapter female 1"1/4x28
690100035	Aespres adapter female 1"x35
690114035	Aespres adapter female 1"1/4x35
690114042	Aespres adapter female 1"1/4x42
690112042	Aespres adapter female 1"1/2x42
690200054	Aespres adapter female 2"x54
691015012	Aespres reducer MF 15x12
691018012	Aespres reducer MF 18x12
691018015	Aespres reducer MF 18x15
691022015	Aespres reducer MF 22x15

Article number

691028015

691028018

691028022

691035022

691035028

691042022

691042028

691042035

691054022

691054028

691054035

691054042

685102012

685102015

685102018

685304022

685100022

685100028

684015002

684015012

684018002

684018012

684022002

684022012

684028002

684035002

684042002

684054002

684012003

684012013

684015003

684015013

684018003

684018013

684022003

684022013

684022023

684028003

684035003

684042003

684054003

Aespres reducer MF 22x18

Product name

Aespres reducer MF 28x15

Aespres reducer MF 28x18

Aespres reducer MF 28x22

Aespres reducer MF 35x22

Aespres reducer MF 35x28

Aespres reducer MF 42x22

Aespres reducer MF 42x28

Aespres reducer MF 42x35

Aespres reducer MF 54x22

Aespres reducer MF 54x28

Aespres reducer MF 54x35

Aespres reducer MF 54x42

Aespres wall plate female 1/2"x12

Aespres wall plate female 1/2"x15

Aespres wall plate female 1/2"x18

Aespres wall plate female 3/4"x22

Aespres wall plate female 1"x22

Aespres wall plate female 1"x28

Aespres union male 1/2"x15

Aespres union male 3/4"x15

Aespres union male 1/2"x18

Aespres union male 3/4"x18

Aespres union male 3/4"x22

Aespres union male 1"x22

Aespres union male 1"x28

Aespres union male 1"1/4x35

Aespres union male 1"1/2x42

Aespres union male 2"x54

Aespres union female 3/8"x12

Aespres union female 1/2"x12

Aespres union female 1/2"x15

Aespres union female 3/4"x15

Aespres union female 1/2"x18

Aespres union female 3/4"x18

Aespres union female 1/2"x22

Aespres union female 3/4"x22

Aespres union female 1"x22

Aespres union female 1"x28

Aespres union female 1"1/4x35

Aespres union female 1"1/2x42

Aespres union female 2"x54

Aespres presskoppling

Innehavare/Utfärdat för

Raccorderie Metalliche S.p.A.

Strada Sabbionetana 59,I- 46010 Campitello di Marcaria (MN), Italien

Produktbeskrivning

Aespres presskopplingar är kopplingar tillverkade av koppar (CW024A) och rödmetsall (CC499K) för sammanfogning av rör i dimensionerna 15, 18, 22, 28, 35, 42 och 54 mm. Systemet är avsett för installationer i tappvatten- och värmesystem. Kopplingarna finns i olika utföranden och är försedda med EPDM- o-ringar med läckageindikering i opressat tillstånd. Vid pressning möjliggörs en snabb och permanent anslutning.

Avsedd användning

Kopplingarna är avsedda för sammanfogning av halvhårda och hårda kopparrör för kallt och varmt tappvatten samt värme/kylsystem där vattnets kvalitet kan jämföras med vatten från kommunal anläggning. Högsta tillåtna driftryck är 1,0 MPa.

Vid sammanfogning av rördel och rör ska pressverktyg godkänt av typgodkännandets innehavare användas.

Handelsnamn

Aespres

Se tabell 1 för artikelnummer

Godkännande

Produkten uppfyller kraven i 8 kap., 4 § 3 plan- och bygglagen (2010:900) i de avseenden och under de förutsättningar som anges i detta typgodkännande.

Produkten uppfyller kraven enligt 4 kap. 12 § i plan- och byggförordningen (2024:134) och har bedömts att inte avge ohälsosamma koncentrationer av skadliga ämnen till dricksvatten, inte främja mikrobiell tillväxt samt inte påverka vattnets färg, lukt eller smak negativt.

Godkännandet omfattar de delar av Boverkets föreskrifter och allmänna råd som anges nedan:

Boverkets föreskrifter om skydd med hänsyn till hygien, hälsa och miljö samt hushållning med vatten och avfall (BFS 2024:8):

Vatten- och avloppsinstallationer

BFS 2024:8, 8 kap. 1, 3, 4§ och 6 §§

Boverkets byggregler (BBR) (BFS 2011:6 med ändringar t.o.m. BFS 2024:5) ¹:

Installationer för tappvatten
Utformning

BBR 6:62
BBR 6:625

¹ Får tillämpas i den utsträckning som framgår av övergångsbestämmelser till Boverkets föreskrifter BFS 2024:14.

Typgodkännande SC0265-16 | utgåva 3 | 2026-09-10


RISE Research Institutes of Sweden AB | Certifiering

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1368538

Detta certifikat är RISE egendom och får endast återges i sin helhet, om inte RISE i förväg skriftligen godkänt annat.



Tillhörande handlingar

Teknisk handbok, daterad augusti 2026

Kontroll

Tillverkarens egenkontroll övervakas av ett oberoende kontrollorgan.

Kontrollanvisning: Ref nr. CR 074 daterad 2026-04-20, Kontrollorgan: TTR Institute srl

Vid byggherrens kontroll på byggarbetsplatsen skall genom identifiering med hjälp av märkningen tillses att rätt produkter levererats och att de används enligt förutsättningarna givna i detta typgodkännande och tillhörande handlingar. Dessutom skall kontrolleras att produkten åtföljs av en tillverkarförsäkras som intygar att tillverkning skett i enlighet med de handlingar som legat till grund för detta typgodkännande.

Tillverkningsställe

Tillverkningskontrollen omfattar följande tillverkningsställe:

Raccorderie Metalliche S.p.A. "Pilastro Plant", Via Montanara Sud, 126- Pilastro di Marcaria (MN), 46010 Italien

Märkning

Produkten skall vid fabrik förses med märkning. Märkningen utgörs av text på varje levererad produkt och förpackning och omfattar:

Kopplingar

Handelsnamn

Aespres

Dimension

Dimension

Löpande produktionsår och batchnummer

År/nummer

Förpackning

Innehavare

Raccorderie Metalliche

Produktens typbeteckning

Aespres

Typgodkännandets nummer

SC0265-16

Boverkets inregistrerade varumärke

✚

RISE ackrediteringsnummer

1002

Kontrollorgan

TTR Institute srl

Bedömningsunderlag

Rapport nr. 120003536 och 220005268-1 från MPA NRW

Rapport nr. 1104619_002, 1110075-001, 1110081, , 1118125, 1118410-001 och 1118411-001 från TTR Institute srl

Kommentarer

Produkten har bedömts uppfylla kraven i RISE certifieringsregler CR 064, daterad 2025-09-06.

Tillhörande handlingar ska medfölja produkten eller finnas tillgängliga för användare av produkten på annat sätt.

Detta typgodkännande ersätter tidigare typgodkännande med samma nummer daterat 2021-09-17.



Typgodkännande med beslut om tillverkningskontroll

Giltighet

Giltigt till och med 2031-06-30.

Detta typgodkännandes giltighet kan verifieras på RISE hemsida.

Detta typgodkännande upphör att gälla när den typgodkända produkten med avsedd användning enligt detta typgodkännande skall CE-märkas enligt Byggproduktförordningen CPR (EU) 305/2011 eller 2024/3110.

A blue ink signature of Stefan Coric, written in a cursive style.

Stefan Coric

Tabell 1. Artikelförteckning Aespres presskopplingar

Artikelnummer	Produktnamn
681012450	Aespres elbow 45° FF Ø 12
681015450	Aespres elbow 45° FF Ø 15
681018450	Aespres elbow 45° FF Ø 18
681022450	Aespres elbow 45° FF Ø 22
681028450	Aespres elbow 45° FF Ø 28
681035450	Aespres elbow 45° FF Ø 35
681042450	Aespres elbow 45° FF Ø 42
681054450	Aespres elbow 45° FF Ø 54
681012451	Aespres elbow 45° MF Ø 12
681015451	Aespres elbow 45° MF Ø 15
681018451	Aespres elbow 45° MF Ø 18
681022451	Aespres elbow 45° MF Ø 22
681028451	Aespres elbow 45° MF Ø 28
681035451	Aespres elbow 45° MF Ø 35
681042451	Aespres elbow 45° MF Ø 42
681054451	Aespres elbow 45° MF Ø 54
681012900	Aespres elbow 90° FF Ø 12
681015900	Aespres elbow 90° FF Ø 15
681018900	Aespres elbow 90° FF Ø 18
681022900	Aespres elbow 90° FF Ø 22
681028900	Aespres elbow 90° FF Ø 28
681035900	Aespres elbow 90° FF Ø 35
681042900	Aespres elbow 90° FF Ø 42
681054900	Aespres elbow 90° FF Ø 54
681012901	Aespres elbow 90° MF Ø 12
681015901	Aespres elbow 90° MF Ø 15
681018901	Aespres elbow 90° MF Ø 18
681022901	Aespres elbow 90° MF Ø 22
681028901	Aespres elbow 90° MF Ø 28
681035901	Aespres elbow 90° MF Ø 35
681042901	Aespres elbow 90° MF Ø 42
681054901	Aespres elbow 90° MF Ø 54
697308012	Aespres ang. adap. M 3/8"x12
697102012	Aespres ang. adap. M 1/2"x12
697308015	Aespres ang. adap. M 3/8"x15
697102015	Aespres ang. adap. M 1/2"x15
697102018	Aespres ang. adap. M 1/2"x18
697304018	Aespres ang. adap. M 3/4"x18
697102022	Aespres ang. adap. M 1/2"x22
697304022	Aespres ang. adap. M 3/4"x22
697102028	Aespres ang. adap. M 1/2"x28
697100028	Aespres ang. adap. M 1"x28

Typgodkännande med beslut om tillverkningskontroll

Artikelnummer	Produktnamn
697114035	Aespres ang. adap. M 1"1/4x35
697112042	Aespres ang. adap. M 1"1/2x42
697200054	Aespres ang. adap. M 2"x54
698308012	Aespres ang. adap. F 3/8"x12
698102012	Aespres ang. adap. F 1/2"x12
698308015	Aespres ang. adap. F 3/8"x15
698102015	Aespres ang. adap. F 1/2"x15
698304015	Aespres ang. adap. F 3/4"x15
698102018	Aespres ang. adap. F 1/2"x18
698304018	Aespres ang. adap. F 3/4"x18
698102022	Aespres ang. adap. F 1/2"x22
698304022	Aespres ang. adap. F 3/4"x22
698100022	Aespres ang. adap. F 1"x22
698102028	Aespres ang. adap. F 1/2"x28
698100028	Aespres ang. adap. F 1"x28
698114035	Aespres ang. adap. F 1"1/4x35
698112042	Aespres ang. adap. F 1"1/2x42
698200054	Aespres ang. adap. F 2"x54
682012000	Aespres equal tee Ø 12
682015000	Aespres equal tee Ø 15
682018000	Aespres equal tee Ø 18
682022000	Aespres equal tee Ø 22
682028000	Aespres equal tee Ø 28
682035000	Aespres equal tee Ø 35
682042000	Aespres equal tee Ø 42
682054000	Aespres equal tee Ø 54
692015012	Aespres reducing tee 15x12x15
692018012	Aespres reducing tee 18x12x18
692018015	Aespres reducing tee 18x15x18
692022012	Aespres reducing tee 22x12x22
692022015	Aespres reducing tee 22x15x22
692022018	Aespres reducing tee 22x18x22
692028015	Aespres reducing tee 28x15x28
692028018	Aespres reducing tee 28x18x28
692028022	Aespres reducing tee 28x22x28
692035015	Aespres reducing tee 35x15x35
692035018	Aespres reducing tee 35x18x35
692035022	Aespres reducing tee 35x22x35
692035028	Aespres reducing tee 35x28x35
692042015	Aespres reducing tee 42x15x42
692042018	Aespres reducing tee 42x18x42
692042022	Aespres reducing tee 42x22x42
692042028	Aespres reducing tee 42x28x42
692042035	Aespres reducing tee 42x35x42

Typgodkännande med beslut om tillverkningskontroll

Artikelnummer	Produktnamn
692054022	Aespres reducing tee 54x22x54
692054028	Aespres reducing tee 54x28x54
692054035	Aespres reducing tee 54x35x54
692054042	Aespres reducing tee 54x42x54
689102012	Aespres tee F 1/2"x12
689308015	Aespres tee F 3/8"x15
689102015	Aespres tee F 1/2"x15
689102018	Aespres tee F 1/2"x18
689102022	Aespres tee F 1/2"x22
689304022	Aespres tee F 3/4"x22
689102028	Aespres tee F 1/2"x28
689304028	Aespres tee F 3/4"x28
689100028	Aespres tee F 1"x28
689102035	Aespres tee F 1/2"x35
689304035	Aespres tee F 3/4"x35
689100035	Aespres tee F 1"x35
689102042	Aespres tee F 1/2"x42
689304042	Aespres tee F 3/4"x42
689102054	Aespres tee F 1/2"x54
689304054	Aespres tee F 3/4"x54
683012003	Aespres stop end Ø 12
683015003	Aespres stop end Ø 15
683018003	Aespres stop end Ø 18
683022003	Aespres stop end Ø 22
683028003	Aespres stop end Ø 28
683035003	Aespres stop end Ø 35
683042003	Aespres stop end Ø 42
683054003	Aespres stop end Ø 54
683012000	Aespres coupling Ø 12
683015000	Aespres coupling Ø 15
683018000	Aespres coupling Ø 18
683022000	Aespres coupling Ø 22
683028000	Aespres coupling Ø 28
683035000	Aespres coupling Ø 35
683042000	Aespres coupling Ø 42
683054000	Aespres coupling Ø 54
683012001	Aespres slip coupling Ø 12
683015001	Aespres slip coupling Ø 15
683018001	Aespres slip coupling Ø 18
683022001	Aespres slip coupling Ø 22
683028001	Aespres slip coupling Ø 28
683035001	Aespres slip coupling Ø 35
683042001	Aespres slip coupling Ø 42
683054001	Aespres slip coupling Ø 54

Typgodkännande med beslut om tillverkningskontroll

Artikelnummer	Produktnamn
687308012	Aespres adapter male 3/8"x12
687102012	Aespres adapter male 1/2"x12
687308015	Aespres adapter male 3/8"x15
687102015	Aespres adapter male 1/2"x15
687304015	Aespres adapter male 3/4"x15
687102018	Aespres adapter male 1/2"x18
687304018	Aespres adapter male 3/4"x18
687102022	Aespres adapter male 1/2"x22
687304022	Aespres adapter male 3/4"x22
687100022	Aespres adapter male 1"x22
687304028	Aespres adapter male 3/4"x28
687100028	Aespres adapter male 1"x28
687114028	Aespres adapter male 1"1/4x28
687100035	Aespres adapter male 1"x35
687114035	Aespres adapter male 1"1/4x35
687112035	Aespres adapter male 1"1/2x35
687114042	Aespres adapter male 1"1/4x42
687112042	Aespres adapter male 1"1/2x42
687112054	Aespres adapter male 1"1/2x54
687200054	Aespres adapter male 2"x54
690308012	Aespres adapter female 3/8"x12
690102012	Aespres adapter female 1/2"x12
690308015	Aespres adapter female 3/8"x15
690102015	Aespres adapter female 1/2"x15
690304015	Aespres adapter female 3/4"x15
690102018	Aespres adapter female 1/2"x18
690304018	Aespres adapter female 3/4"x18
690102022	Aespres adapter female 1/2"x22
690304022	Aespres adapter female 3/4"x22
690100022	Aespres adapter female 1"x22
690102028	Aespres adapter female 1/2"x28
690304028	Aespres adapter female 3/4"x28
690100028	Aespres adapter female 1"x28
690114028	Aespres adapter female 1"1/4x28
690100035	Aespres adapter female 1"x35
690114035	Aespres adapter female 1"1/4x35
690114042	Aespres adapter female 1"1/4x42
690112042	Aespres adapter female 1"1/2x42
690200054	Aespres adapter female 2"x54
691015012	Aespres reducer MF 15x12
691018012	Aespres reducer MF 18x12
691018015	Aespres reducer MF 18x15
691022015	Aespres reducer MF 22x15
691022018	Aespres reducer MF 22x18

Typgodkännande med beslut om tillverkningskontroll

Artikelnummer	Produktnamn
691028015	Aespres reducer MF 28x15
691028018	Aespres reducer MF 28x18
691028022	Aespres reducer MF 28x22
691035022	Aespres reducer MF 35x22
691035028	Aespres reducer MF 35x28
691042022	Aespres reducer MF 42x22
691042028	Aespres reducer MF 42x28
691042035	Aespres reducer MF 42x35
691054022	Aespres reducer MF 54x22
691054028	Aespres reducer MF 54x28
691054035	Aespres reducer MF 54x35
691054042	Aespres reducer MF 54x42
685102012	Aespres wall plate female 1/2"x12
685102015	Aespres wall plate female 1/2"x15
685102018	Aespres wall plate female 1/2"x18
685304022	Aespres wall plate female 3/4"x22
685100022	Aespres wall plate female 1"x22
685100028	Aespres wall plate female 1"x28
684015002	Aespres union male 1/2"x15
684015012	Aespres union male 3/4"x15
684018002	Aespres union male 1/2"x18
684018012	Aespres union male 3/4"x18
684022002	Aespres union male 3/4"x22
684022012	Aespres union male 1"x22
684028002	Aespres union male 1"x28
684035002	Aespres union male 1"1/4x35
684042002	Aespres union male 1"1/2x42
684054002	Aespres union male 2"x54
684012003	Aespres union female 3/8"x12
684012013	Aespres union female 1/2"x12
684015003	Aespres union female 1/2"x15
684015013	Aespres union female 3/4"x15
684018003	Aespres union female 1/2"x18
684018013	Aespres union female 3/4"x18
684022003	Aespres union female 1/2"x22
684022013	Aespres union female 3/4"x22
684022023	Aespres union female 1"x22
684028003	Aespres union female 1"x28
684035003	Aespres union female 1"1/4x35
684042003	Aespres union female 1"1/2x42
684054003	Aespres union female 2"x54